PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 38467WOP00	FOR FURTHER ACTION	See Form PCT/IPEA/416			
International application No. PCT/IB2004/000978	International filing date (day/month/year) 31 March 2004	Priority date (day/month/year) 31 March 2003			
International Patent Classification (IPC) or	national classification and IPC	·			
Int. Cl. 7 B32B 13/02, B28B 1/52, 23/	02				
Applicant JAMES HARDIE INTERNATIO	NAL FINANCE B.V et al				
	ry examination report, established by this I	nternational Preliminary Examining			
1"	ed to the applicant according to Article 36.				
2. This REPORT consists of a total of 33. This report is also accompanied by ANN		·			
	International Bureau) a total of 1 sheets,	as follows:			
	·				
X sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).					
sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.					
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), containing a sequence listing and/or table related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).					
4. This report contains indications relating					
- X Box No. I Basis of the report	•	·			
Box No. II Priority					
Box No. III Non-establishment	of opinion with regard to novelty, inventive	e step and industrial applicability			
Box No. IV Lack of unity of in	vention				
X Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement					
Box No. VI Certain documents	cited	·			
Box No. VII Certain defects in t	he international application	·			
Box No. VIII Certain observations on the international application					
Date of submission of the demand	Date of completion of	Date of completion of the report			
31 January 2005	3 March 2005	1			
Name and mailing address of the IPEA/AU	Authorized Officer	·			
AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALL E-mail address: pct@ipaustralia.gov.au Facsimile No. (02) 6285 3929	JOHN DEUIS Telephone No. (02)	6283 2146			

EST AVAILABLE COPY

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.
PCT/IB2004/000978

Bo	x No.			he report				. /	•
1.			to the lan			on the internation	nal application in the l	anguage in which it	was filed, unless
ļ	This report is based on translations from the original language into the following language , which is the language of a translation furnished for the purposes of:								
İ	international search (under Rules 12.3 and 23.1 (b))								
	publication of the international application (under Rule 12.4)								
	international preliminary examination (under Rules 55.2 and/or 55.3)								
2.	2. With regard to the elements of the international application, this report is based on (replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):								
		the inte	ernational a	application	as originally file	d/furnished	•		•
	X	the des	eription:				_		•
				pages 1-	_	ly filed/furnish	ed with the letter of		
ſ	•			pages*		•	with the letter of		
	X	the clai	ims:		. •				
				pages 24	-	s originally file			
				pages*	•	•	statement) under Artic		
				pages* 2	-	•	n 31 January 2005 v with the letter of	with the letter of 31	January 2005
	X	the drav	_				•		
	•			pages 1/ pages*	• •	filed/furnished	with the letter of		<u> </u>
		*		pages*	received by this	-			
		a seque	nce listing	and/or any	y related table(s)	- see Suppleme	ntal Box Relating to Se	equence Listing.	
3.		The am	endments l	have resul	ted in the cancella	ation of:	•		
			the descri	iption, pag	es				
	:		the claim	s, Nos.					
	•		the drawi	ings, sheet:	s/figs	•	•		
			the seque	nce listing	(specify):				
:			any table	(s) related	to the sequence li	isting (specify):			
4.	Ш.		ince they h				nts annexed to this replosure as filed, as indicated		
			the descri	iption, pag	es		•	,	. •
			the claims	s, Nos.			.•		
			the drawi	ngs, sheets	/figs				
			the seque	nce listing	(specify):			•	
			any table((s) related	to the sequence li	sting (specify):			
•	If ite	em 4 appl	lies, some o	r all of thos	e sheets may be ma	rked "superseded	1."		

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/IB2004/000978

Box No. V	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability;
citation	s and explanations supporting such statement

1.	Statement		
	Novelty (N)	Claims 1-75	YES
		Claims	NO
	Inventive step (IS)	Claims 1-75	YES
		Claims	NO
	Industrial applicability (IA)	Claims 1-75	YES
		Claims	NO

2. Citations and explanations (Rule 70.7)

None of the individual citations disclose all the essential features as claimed. Claims 1-75 are novel and involve an inventive step.

The invention is directed to an engineered fibre reinforced cement product comprising a carbonation reducing sealer applied to two major surfaces, whereby differential carbonation is reduced.

The closest art found was:

- D1: Wattyl, Granosite GranoSkin Decorative Membrane Datasheet 5.02, 6 January 1999, [retrieved on 2004-06-25]. Retrieved from the Internet: <URL:http://web.archive.org/web/20030117223024/www.granosite.com.au/5wpm/PM2GSKDM.htm, achieve date 2003-01-17.
- D2: Ardex, Sheltercoat Façade, Shelter waterproofing membranes, 10 March 2002, [retrieved on 2004-06-25]. Retrieved from the Internet: URL: http://norcros.com. au/pdfs/datasheets/2002-11-13/sheltercoatfacade.pdf, achieve date 2003-03-21.
- D3: Ameron Coatings, Amercoat 288 Flexible water-borne acrylic membrane, August 1999, [retrieved on 2004-06-25]. Retrieved from the Internet:<URL:http://web.archive.org/web/20030720224335/home.xtra.co.nz/hosts/AmeronCoatings/aus/PDF/A0288.PDF, achieve date 2003-02-17.
- D4: MBT Middle East: Datasheets, Masterseal 300H, June 2002, [retrieved on 2004-06-25].

 Retrieved from the Internet: <URL: http://web.archive.org/web/20020102180555/http://www.mbt-middle-east.com/datasheet/html/repair/mseal300.html, achieve date 2002-12-01.
- D5: US 6030447 A (NAJI ET AL.) 29 February 2000

-26 20 SEP 2005

- 19. A product according to any one of the preceding claims, wherein the carbonation reducing sealer is substantially alkali resistant.
- 20. A product according to any one of the preceding claims, wherein the carbonation reducing sealer is sufficiently cross-linked to impede migration of carbon dioxide through the sealer to a predetermined extent.
- 21. A product according to any one of the preceding claims, wherein the carbonation reducing sealer is substantially flexible in a cured state.
- 22. [AMENDED] A product according to any one of the preceding claims, wherein one or more of the sealer, the method of manufacture, and the physical structure of the cured product, are selected to reduce propensity for carbonation in the product.

10

- 23. [AMENDED] A product according to claim 22, wherein the sealer has a cement to silica ratio of between 0.2 and around 1.5 on a dry weight basis.
- 24. [AMENDED] A product according to claim 22, wherein the sealer has a cement to silica ratio of between 0.3 and around 0.9 on a dry weight basis.
- 15 25. [AMENDED] A product according to claim 22, wherein the sealer has a cement to silica ratio of between 0.3 and around 0.5 on a dry weight basis.
 - 26. A product according to claim 22, wherein the cement to silica ratio is between 0.36 and around 0.43 on a dry weight basis.
- 27. A product according to claim 22, wherein the cement to silica ratio is around 0.39 on a dry weight basis.
 - 28. A product according to any one of claims 22 to 27, formed with a porosity of between 30% and around 40%.
 - 29. A product according to any one of claims 22 to 28, having a porosity of between 30% and around 60%.